



LM TRADE d.o.o.  
 Trnoveljska cesta 2f, SI – 3000 Celje Slovenia  
 Tel: +3 4920092 Fax: +3 4920091 www.lmtrade.com

# AUDIX

PRICE LIST EUR €

Model	Description	LIST €
<b>Dynamic</b>		
OM2	Dynamic Hypercardioid 50 Hz -16 kHz	105,55
OM2-S		122,22
OM3	Dynamic Hypercardioid 50 Hz -18 kHz	147,78
OM3-S		161,11
OM5	Dynamic Hypercardioid 48 Hz -19 kHz	217,78
OM6	Dynamic Hypercardioid 40 Hz -19 kHz	254,44
OM7	Dynamic Hypercardioid 45 Hz -19 kHz	265,55
OM11	Dynamic Hypercardioid 50 Hz -18 kHz	303,33
<b>Vocal Condensers - includes pouch and mic clip</b>		
VX5	Condenser Cardioid 40 Hz -20 kHz	285,55
VX10	Condenser Cardioid 40 Hz -20 kHz	546,66
VX10-LO		546,66
<b>Vocal Headset Miniature Condensers for Hard Wired Applications - includes phantom power adapter</b>		
HT2-P	Condenser Supercardioid 50 Hz -15 kHz	273,33
HT5-P	Condenser Omnidirectional 20 Hz - 20 kHz	398,88
HT5BG-P		398,88
<b>CD Series - Vocal Mic</b>		
CD11	Dynamic Cardioid 50 Hz -16 kHz	43,33
<b>Fusion Series -Vocal Mics</b>		
F50	Dynamic Cardioid 50 Hz -16 kHz	61,11
F50-S		71,11
F50-BP		216,66
CASE-BP		48,89
<b>Accessories</b>		
T-50K		26,67
MC1		7,78
WS357		10,00
P1		8,89
GR357		27,78
GR1		27,78
GR10		34,44
GR5		34,44
CBL-20		14,44
CBL-DR25		15,56
<b>Dynamic Instrument Microphones - VLM Technology - all mics include pouch and clip</b>		
FIREBALL	Dynamic Cardioid 50 Hz -16 kHz	245,55
FIREBALL-V	Dynamic Cardioid 50 Hz -16 kHz	198,89
i-5	Dynamic Cardioid 50 Hz -16 kHz	132,22
D2	Dynamic Hypercardioid 44 Hz -18 kHz	156,67
D4	Dynamic Hypercardioid 38 Hz -19 kHz	216,66
D6	Dynamic Cardioid 30 Hz -15 kHz	250,00
D6-KD		303,33
D6-NICKEL	Dynamic Cardioid 30 Hz -15 kHz	366,66
<b>Accessories</b>		
D-CLIP	Heavy duty clip for D series, ADX50, TR40, SCX series.	12,22
D-FLEX	Dual pivot rim mounted clip - can be used with any 5/8" threaded mic clip.	21,11
D-VICE	Flexible mini-gooseneck with rim mounted drum clamp.	30,00

D-CLAMP	Flexible mini-gooseneck with drum tension lug clamp.			30,00
MC2	Hi impact, low profile plastic clip for D-flex, D-vice, D-clamp.			8,89
CASE-DP	Aluminum carrying case and foam for all DP packages.			97,78
STAND-KD	Heavy duty tripod stand for kick drum, guitar cabs.			51,11
<b>Cab Grabber - mic mounting system for guitar amps and cabinets</b>				
CAB-GRAB1	One piece mic mounting system clamps on to all popular size guitar combo amps and c			65,55
<b>DP Series Drum Packs- Includes Aluminum Flight Case</b>				
DP4-A	4 Mic Package			661,10
DP5-A	5 Mic Package			882,21
DP7	7 Mic Package			1302,21
DP-ELITE 8	Deluxe	8 Mic Package		2776,64
<b>Studio Series Mic Packages - Includes Aluminum Flight Case</b>				
STE-8	8 Essential instrument microphones for recording			3219,97
<b>Fusion Series Instrument Microphones</b>				
F10	Dynamic	Cardioid	50 Hz - 12 kHz	88,89
F12	Dynamic	Cardioid	40 Hz - 10 kHz	93,33
F14	Dynamic	Cardioid	30 Hz - 10 kHz	116,67
F15	Condenser	Cardioid	100Hz - 20 kHz	88,89
<b>Fusion Series Drum Packs- All mics feature integral clip. Includes Aluminum Flight Case</b>				
FUSION 4	4 Mic Package			221,11
FUSION 6	6 Mic Package			385,55
FUSION 7	7 Mic Package			502,22
<b>Miniature Instrument Condensers for Hard Wired Applications - includes phantom power adapter except for M1244</b>				
F90	Condenser	Cardioid	50 Hz - 18 kHz	145,55
MICRO-D	Condenser	Hypercardioid	40 Hz - 20 kHz	254,44
M1244A	Condenser	Cardioid	80 Hz - 20 kHz	343,33
M1244A-HC				366,66
ADX10-FLP	Condenser	Cardioid	50 Hz - 18 kHz	254,44
ADX20i-P	Condenser	Cardioid	40 Hz - 20 kHz	221,11
<b>Pencil Condensers</b>				
UEM81-C	Condenser	Cardioid	40 Hz - 20 kHz	182,22
UEM81-S	Condenser	Supercardioid	20 Hz - 20 kHz	343,33
ADX51	Condenser	Cardioid	40 Hz - 18 kHz	220,00
SCX1-C	Condenser	Cardioid	40 Hz - 20 kHz	644,44
SCX1C-MP				1405,54
SCX1-HC	Hypercardioid			688,88
SCX1-O	Condenser	Omni	20 Hz - 20 kHz	644,44
SMT-25				35,56
<b>USB Microphones</b>				
USB12	Condenser	Cardioid	14 Hz - 18 kHz	186,66
USB12W				186,66
<b>Large Diaphragm Condensers</b>				
SCX25-A	Condenser	Cardioid	20 Hz - 20 kHz	805,55
SCX25A-MP	Matched Pair			1902,20
SCX25A-PS	Condenser	Cardioid	20 Hz - 20 kHz	2018,87
CX112	Condenser	Cardioid	20 Hz - 20 kHz	385,55
CX212	Condenser	Multi-Pattern	20 Hz - 20 kHz	536,66
SMT-CX112				46,67
MC-112				18,89
PD-133				28,89
WS-CX112				23,33
<b>The MICROS Integrated condenser microphones with detachable cable</b>				
M1245A	Condenser	Cardioid	80 Hz - 20 kHz	343,33
<b>The MICROS M1250 - STANDARD output level for 6-12 inch miking distance (podium, conference, instrument)</b>				
M1250	Condenser	Cardioid	80 Hz - 20 kHz	402,22
M1250W				425,55
M1250-HC	Condenser	Hypercardioid	80 Hz - 20 kHz	425,55
M1250W-HC				448,88
M1250-O	Condenser	Omni	80 Hz - 20 kHz	402,22

M1250-OW				425,55
M1250-S	Condenser	Supercardioid	80 Hz - 20 kHz	448,88
<b>The MICROS M1255 - HIGH output level for long distance miking (ceiling, overhead, audience, instrument)</b>				
M1255	Condenser	Cardioid	80 Hz - 20 kHz	402,22
M1255W				425,55
M1255-HC	Condenser	Hypercardioid	80 Hz - 20 kHz	425,55
M1255W-HC				448,88
M1255-O	Condenser	Omni	80 Hz - 20 kHz	402,22
M1255-OW				425,55
M1255-S	Condenser	Supercardioid	80 Hz - 20 kHz	448,88
<b>The MICROS M1280 - STANDARD output level - extended frequency response - extremely high fidelity</b>				
M1280	Condenser	Cardioid	40 Hz - 20 kHz	436,66
M1280-HC	Condenser Hypercardioid		40 Hz - 20 kHz	460,00
M1280-O	Condenser	Omni	20 Hz - 20 kHz	436,66
M1280-S	Condenser	Supercardioid	40 Hz - 20 kHz	483,33
<b>MicroBoom Series - carbon fiber boom arm with a wide variety of Micros capsules</b>				
MB1245A				576,66
MB1250				635,55
MB1250-HC				658,88
MB1250-O				635,55
MB1255				635,55
MB1250				669,99
MB1280-HC				693,33
MB1280-O				669,99
MB1280-S				716,66
MICROBOOM				303,33
STAND-MB				37,78
MC-BOOM				26,67
<b>MicroPod Series - gooseneck series available with cardioid or hypercardioid capsule (ATS10 stand sold separately )</b>				
MICROPOD-6	Condenser Cardioid		80 Hz - 20 kHz	378,89
MICROPOD-12	Condenser Cardioid		80 Hz - 20 kHz	400,00
MICROPOD-18	Condenser Cardioid		80 Hz - 20 kHz	400,00
MICROPOD-6HC	Condenser Hypercardioid		80 Hz - 20 kHz	392,22
MICROPOD-12HC	Condenser Hypercardioid		80 Hz - 20 kHz	413,33
MICROPOD-18HC	Condenser Hypercardioid		80 Hz - 20 kHz	413,33
ATS10	Base w/On/Off Switch			88,89
<b>Micros-Accessories</b>				
MC-HANGER				22,22
SMT-MICRO				27,78
MGN-6				70,00
MGN-12				86,67
MGN-18				86,67
DVICE-MICRO				35,56
DCLAMP-MICRO				35,56
DFLEX-MICRO				33,33
MC-MICRO				11,11
<b>MICROS - 12 mm Capsules - All capsules thread interchangeably on to any MICROS preamp/body</b>				
CPSMICRO-C	Cardoid			198,89
CPSMICRO-CW	Cardoid			217,78
CPSMICRO-O	Omni			198,89
CPSMICRO-OW	Omni			217,78
CPSMICRO-HC	Hypercardioid			222,22
CPSMICRO-HCW	Hypercardioid			241,11
CPSMICRO-S	SuperCardioid			241,11
<b>ADX Series - Installed Sound</b>				
ADX10-P	Condenser Cardioid		50 Hz -18 kHz	203,33
ADX40	Condenser Cardioid		40 Hz -20 kHz	205,55
ADX40-W				228,89
ADX40-HC				228,89

ADX40W-HC				252,22
ADX60	Condenser Cardioid		50 Hz -18 kHz	210,00
ADX212	Condenser Cardioid		40 Hz -18 kHz	203,33
ADX212-HC				233,33
ADX218	Condenser Cardioid		40 Hz -18 kHz	203,33
ADX218-HC				233,33
SMT1218R				31,11

#### Test and Measurement Mic - for RTA and Room Analysis Systems

TR40A	Condenser	Omni	20 Hz -19 kHz	152,22
-------	-----------	------	---------------	--------

#### Power House Powered Speakers

PH3-S	20 Watts	Two-Way	DC Powered	233,33
PH3-SE				233,33
PH5-VS	25 Watts	Two-Way	AC Powered	408,88
PH5-VSE				408,88
PH5VS-W				443,33
PH5VS-WE				443,33
SWB-101				28,89
SWB101-W				28,89
CCPH5				46,67

#### Phantom Power Supplies/Adaptors

APS-2	2 Channel Phantom Power			105,55
APS-910	Phantom Power Adapter			46,67
APS-911	Battery Operated Phantom Power Adapter			70,00

#### RAD-360 WIRELESS SYSTEMS

ALL SYSTEMS TO INCLUDE TRUE DIVERSITY 193 CHANNEL UHF RECEIVER, ANTENNAS, RACK MOUNT KIT, 1 HAND HELD MIC TRANSMITTER OR BODY PACK TRANSMITTER WITH CHOICE OF MICROPHONE.

FREQUENCIES ARE COLOR CODED AS FOLLOWS:

BLACK (B) = 638 MHz - 662 MHz

YELLOW (Y) = 692 MHz - 716 MHz

RED (R) = 782 MHz - 806 MHz

GREEN (G) = 790 MHz - 814 MHz

SPECIFY FREQUENCY DESIRED BY ADDING A LETTER TO THE END OF THE MODEL NUMBER (EXAMPLE: W3-OM3). IF FREQUENCIES ARE NOT SPECIFIED, AUDIX WILL CHOOSE FREQUENCIES BASED ON LOCATION.

#### Handheld Wireless Systems

W3-OM3				765,55
W3-OM5				822,21
W3-OM6				889,99
W3-OM7				907,77

#### AV Combo Pack Wireless System

W3-310				1155,54
--------	--	--	--	---------

#### Bodypack Wireless Lavalier Systems

W3-BP				667,77
W3-ADX5				833,33
W3-ADX10				801,10
W3-ADX20				801,10

#### Bodypack Wireless Headset Systems

W3-HT2				798,88
W3-HT5				907,77
W3-HT5BG				907,77

#### Bodypack Wireless Instrument Systems

W3-G	Guitar			688,88
W3-ADX10FL	Flute			831,10
W3-FIREBALL	Harmonica			889,99
W3-ADX20i	Saxophone			843,32

#### RAD-360 WIRELESS SYSTEM COMPONENTS

FREQUENCIES ARE COLOR CODED AS FOLLOWS:

BLACK (B) = 638 MHz - 662 MHz

YELLOW (Y) = 692 MHz - 716 MHz

RED (R) = 782 MHz - 806 MHz

GREEN (G) = 790 MHz - 814 MHz

FOR TRANSMITTER AND RECEIVERS SPECIFY FREQUENCY DESIRED BY ADDING A LETTER TO THE END OF T  
IF FREQUENCIES ARE NOT SPECIFIED, AUDIX WILL CHOOSE FREQUENCIES BASES ON LOCATION.

**RAD-360 SYSTEM RECEIVER - UHF True Diversity 193 Selectable Frequencies**

R360-KIT	432,22
R360	396,66

**RAD-360 BODYPACK TRANSMITTER**

B360	292,22
------	--------

**BODYPACK MICROPHONES - (no power adapters included with these models)**

ADX5	Condenser Omnidirectional	30 Hz - 20 kHz	194,44
ADX10	Condenser Cardioid	50 Hz - 18 kHz	163,33
ADX10-FL	Condenser Cardioid	50 Hz - 18 kHz	210,00
ADX20i	Condenser Cardioid	40 Hz - 20 kHz	192,22
HT2	Condenser Supercardioid	50 Hz - 15 kHz	198,89
HT5	Condenser Omnidirectional	20 Hz - 20 kHz	315,55
HT5-BG	Condenser Omnidirectional	20 Hz - 20 kHz	315,55
HT5-4PIN	Condenser Omnidirectional	20 Hz - 20 kHz	350,00
HT5BG-4PIN	Condenser Omnidirectional	20 Hz - 20 kHz	350,00

**RAD360 HANDHELD TRANSMITTERS**

T360		315,55	
T363	Dynamic Hypercardioid	50 Hz - 18 kHz	455,55
T365	Dynamic Hypercardioid	48 Hz - 19 kHz	478,88
T366	Dynamic Hypercardioid	40 Hz - 19 kHz	502,22
T367	Dynamic Hypercardioid	45 Hz - 19 kHz	525,55
MC-360T		12,22	

**INTERCHANGEABLE CAPSULE ASSEMBLIES**

T363-CA	Dynamic Hypercardioid	50 Hz - 18 kHz	186,66
T365-CA	Dynamic Hypercardioid	48 Hz - 19 kHz	250,00
T366-CA	Dynamic Hypercardioid	40 Hz - 19 kHz	308,89
T367-CA	Dynamic Hypercardioid	45 Hz - 19 kHz	320,00

**RACKMOUNT ADAPTER AND ACCESSORIES**

RM1		23,33
CBL-BNC2		35,56
CBL-BNC25		46,67
RM2		54,44
PL-RM2		12,22

**ANTENNA SYSTEMS AND ACCESSORIES**

ADS4		653,33
ANT-D360		350,00
AB1		86,67
ANT-1		33,33

**POWER SUPPLY ADAPTERS FOR RAD360 RECEIVER**

PS-110R		21,11
PS-230R		21,11

**CABLES**

CBL-R360		10,00
CBL-G360		21,11